#### **SPECIFICATIONS**

#### General

Type Desktop
Engine speed (colour & B/W) Max. 23 cpm/ppm (A4, long-edge feeding)

Paper size

Paper capacity (80 g/m<sup>2</sup>)

Max. A3 wide, min. A5R Standard: 600 sheets (500-sheet tray and 100-sheet multi-bypass tray)

Maximum: 2,100 sheets Tray: 60 g/m<sup>2</sup> to 209 g/m<sup>2</sup> (16 lbs bond to 110 lbs index)

Paper weight

Warm-up time\*

Power requirements

Power consumption (max.) Dimensions (W x D x H) Weight (approx.) Features

Multi-bypass tray: 55 g/m<sup>2</sup> to 256 g/m<sup>2</sup> (13 lbs bond to 140 lbs index) Less than 20 sec.

[Standard] Copy/print (shared): 1GB 160GB HDD\* [Option] Print: 1.5GB

Rated local AC voltage ±10%, 50/60 Hz 1.84 kW (220 to 240V), 1.44 kW (100 to 127V) 583 x 623 x 834 mm (22 31/32" x 24 33/64" x 32 53/64") 74 kg (161.3 lbs)

Job build, document filing, user authentication (1,000 accounts). toner save mode, pre-heat/auto power shut-off modes, preview,

thumbnail view\*

Original paper size First copy time\*4 Continuous copy Resolution

Max. A3 Full colour: 10.0 sec. B/W: 7.4 sec. Max. 999 copies Scan (colour): 600 x 600 dpi

Scan (B/W): 600 x 600 dpi, 600 x 400 dpi, 600 x 300 dpi Print: 9,600 (equivalent) x 600 dpi (depending on print mode), 600 x 600 dpi

Gradation Equivalent to 256 levels

25 to 400% (25 to 200% using RSPF) in 1% increments Zoom range Preset copy ratios Metric: 10 ratios (5R/5E), inch: 8 ratios (4R/4E) Features

Auto paper selection (mixed/random size feeding), auto magnification selection, paper type selection, auto tray switching, rotation copy, electronic sorting, network tandem copy, book copy, margin shift, dual page copy, multi-shot (4-in-1, 2-in-1), cover/transparency/tab page insertion, pamphlet copy, 2-sided copy orientation change, XY zoom, B/W reverse, mirror image, duplex copy, job reservation, job programme, photo repeat, irregular original/paper size input, stamps

(date, page number, text, stamp), multi-page enlargement, tab copy, centering, proof copy, auto colour mode, auto colour selection, auto calibration, watermarks, sharpness, card shot, original count,

edge/centre/side erase

#### **Network Scanner**

Scan method

Push scan: 100, 200, 300, 400, 600 dpi Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi 50 to 9,600 dpi via user setting\*5 TIFF, PDF, encrypted PDF, JPEG (colour only), XPS\*6

File formats Scanner utility Scan destinations Features

Push scan (via control panel), pull scan (TWAIN-compliant application)

Sharpdesk

Scan to e-mail/desktop/FTP server/network folder (SMB)/USB memory auto colour mode, mixed size original scanning, LDAP support, direct entry (address, subject, message), 1,000 one-touch dials, 500 group dials, 48 job programmes, broadcasting, long original scanning (max. 1,000 mm)\*7, auto colour selection, card shot, original count, edge/side erase

- \* 1 : At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment.
- \* 2 : HDD capacity depends on procurement and sourcing status.
  \* 3 : Thumbnails of Document Filing data files and incoming faxes.
- \* 4 : Long-edge feeding of A4 sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, MFP in fully ready condition. May vary depending on perating conditions and environment.
- 5 : Resolutions higher than 600 dpi are interpolated.
- \* 6 : To view XPS files on PCs not running Windows Vista, you must have the XPS Viewer application installed.
  \* 7 : B/W documents only, scanned at under 400-dpi resolution. Max. 800 mm or when scanning
- at 600 x 600-dpi resolution.
- \* 8 : Measured using Sharp's standard chart (A4 with 6% coverage, B/W). The Quick File Folder shares the HDD with the Job Build function; up to 14GB of data storage is available when using both functions. The storage capacity will be less for colour pages.
- \* 9 : Some features require option(s). \*10: Optional MX-PB14 and MX-PK11 required for Mac OS and EtherTalk.
- \*11: PCL requires optional MX-PB14. PS requires optional MX-PB14 and MX-PK11. XPS requires optional MX-PB14, MX-PUX1, and 1GB Memory Board.
- \*12: Some features are not available according to the printer driver used.
- \*13: Based on Sharp's standard chart with approx. 700 characters (A4) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

Document filing capacity

Main and custom folders: 72GB, 20,000 pages\*8 or 3,000 files

Quick file folder: 14GB, 10,000 pages\*8 or 3,000 files Copy, print, scan, fax transmission

Stored jobs\*9 Storage folders Quick file folder, main folder, custom folder (max. 1,000 folders)

Password protection

#### Confidential storage **Network Printer**

Resolution Interface Supported OS\*10 9,600 (equivalent) x 600 dpi, 600 x 600 dpi USB 2.0, 10Base-T/100Base-TX/1000Base-T

Windows Server® 2003/2008, Windows® 2000/XP, Windows Vista®, Windows® 7, Mac OS 9.0 to 9.2.2, Mac OS X 10.2.8, 10.3.9, 10.4.11,

10.5 to 10.5.8, 10.6 to 10.6.2

Network protocols\*10 **Printing protocols** 

PDL (emulation)

Available fonts

TCP/IP (IPv4, IPv6), IPX/SPX (NetWare), NetBEUI, EtherTalk (AppleTalk) LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, Novell Printserver application with NDS and Bindery,

FTP for downloading print files, EtherTalk printing, IPP Standard: SAPL-c (Sharp Advanced Printing Language-c) Option\*11: PCL 6 emulation, PS3 emulation, XPS 80 fonts for PCL, 136 fonts for PS3 emulation

Network tandem print, RIP Once/Print Many, job retention (proof print, confidential print), direct PDF/TIFF/JPEG/XPS printing, carbon copy print, duplex print, font/form download, offset output, pamphlet style, Sharp Remote Device Manager, printer status monitor,

IP/MAC address filtering, port/protocol management, binding edge, N-up (2/4/6/8/9/16), paper/output tray selection, cover/transparency insertion, fit to page, watermarks, form overlay, auto configuration, tab print, poster print, margin shift, secure network communications

(SSL and IPsec [LPD])

#### B/W Facsimile (optional MX-FX11 required)

Compression method Communication protocol Transmission time Modem speed

Transmission resolution

Recording width Memory Grey scale levels MH/MR/MMR/JBIG Super G3/G3


Less than 3 seconds\*1

33,600 bps to 2,400 bps with automatic fallback From Standard (203.2 x 97.8 dpi) to Ultra Fine (406.4 x 391 dpi)

1GB (built-in)

Equivalent to 256 levels Duplex transmission/reception, quick on-line transmission, error correction mode, 1,000 one-touch dials, 500 group dials, LDAP support, 48 job programmes, broadcasting number registration. F-Code compatibility (confidential, relay broadcast), polling, memory transmission/reception, auto reduction (transmission/reception) rotation transmission/reception, print actual size, 2-in-1 transmission, long original transmission (max. 1,000 mm), PC-Fax transmission, timer transmission, inbound routing to e-mail/FTP server/network folder (SMB)/PC desktop/group, activity report, anti-junk fax, dual page scan, mixed size original scanning, card shot, edge/side erase, original count

- Design and specifications are subject to change without prior notice.
   Windows, Windows Server, and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other brand names and product names may be trademarks or registered trademarks of their
- The ENERGY STAR logo is a certification mark and may only be used to certify products that have been determined to meet the ENERGY STAR programme requirements. ENERGY STAR is a US registered mark. The ENERGY STAR guidelines apply to products only in the US, the EU, Japan, Canada, Australia, New Zealand, and Taiwan.




MX-2310U CAT



# SHARP







SHARP-ROXY (HONG KONG) LIMITED Hotline:2822 9395 http://www.sharp.com.hk





# Better Performance, Better Quality, and the Colour Advantage

If you're looking for a way to run your business more smoothly, the MX-2310U—with all the essential copy, print, and network scan functions and convenient fax option—is a reliable choice. And if you're also looking to move your business forward, this full-colour, eco-friendly A3 MFP is the smartest choice.

The MX-2310U puts high-quality colour to work adding impact and advantage to business communications. It offers fast 23-page-per-minute output in both colour and B/W and delivers superb print quality with the upgraded second-generation Mycrostoner-HG. The MX-2310U enhances workflow through its integrated document management system, enables third-party creation of customised applications via Sharp OSA (Open Systems Architecture), and employs multi-layered security solutions to safeguard data.

The MX-2310U brings a range of eco advantages, including low power consumption in standby mode and a short warm-up time for overall energy savings. And since the MX-2310U is an extremely compact and lightweight MFP, all this performance power and cutting-edge Sharp technology comes in one space-saving frame.

## Style, Function, and Ease of Use

The MX-2310U is an attractive, user-friendly addition to any workplace. Designed for easy navigation, the control panel features a 7.0-inch W-VGA touch-screen colour LCD that offers a choice of six screen colours and provides both thumbnail display and data file previews.





# COPYING & NETWORK PRINTING

#### **PRODUCTIVE**

#### Super-Efficient Colour and B/W Output

The tandem printing engine with four in-line drums helps the MX-2310U deliver a fast output of 23 cpm/ppm\* in full colour and in B/W. And the first copy comes out in just 10.0 seconds in full colour and 7.4 seconds in B/W. What's more, its short, straight paper path minimises misfeeds to save you paper and toner costs.

\* A4, long-edge feeding





#### Productive Collated Output from Memory

The MX-2310U's Scan Once/Print Many function only requires a single scan of a multi-page original for copying, and the RIP Once/Print Many function only needs to download print data once from the PC for printing. The machine then automatically saves the data into memory and outputs **collated** sets of copies or printouts in the proper page order (electronic sorting), with each set offset stacked for easier retrieval.



(or print data sent from PC)

in proper page order.

...and stacked offset

#### Built-In Stackless Duplex Module


The MX-2310U can make two-sided copies and printouts using its built-in stackless duplex module, effectively reducing paper costs as well as saving filing space. Duplex copying is even more effective when the duplex module is used together with the standard-equipped 100-sheet RSPF (reversing single pass feeder), which efficiently feeds in either one- or two-sided originals.

#### Job Build for Large-Volume Scanning


The MX-2310U easily handles large-volume copy jobs exceeding the RSPF's 100-sheet\*1 capacity. For example, a 270-sheet original can be scanned as batches of 100 + 100 + 70 sheets and automatically stored on the MX-2310U's hard disk\*2. Users can then print the entire document in a single run.

- \*1: A4, 80 g/m<sup>2</sup>
- \*2: The number of pages that can be stored for the Job Build function depends on the machine's HDD capacity and other conditions.

#### Automated Finishing



\* Requires optional MX-PB14.



#### Large Paper Capacity

For high-volume work, the MX-2310U can accommodate an optional stand with 3 x 500-sheet paper drawers for a total capacity of 2,100 sheets. When a tray

runs out of paper, the Auto Tray Switching function automatically switches to another paper tray filled with the same size paper, allowing you to do extra-large volume jobs without worry.

## Network Tandem Function\*

When two MX-2310Us are connected to the same office network, you can use both simultaneously to double copying/printing output to up to 46 cpm/ppm. Large-volume jobs can be completed with ease, enabling you to meet tight deadlines.

\* Requires optional MX-PB14.

## Convenient Copy Previews

To prevent errors in copying, the MX-2310U shows previews of copy jobs on its LCD before actually executing them. And with previews, it's easy to confirm finishing options, scan settings, and other such items.



2-in-1 copying (preview)

## NETWORK-READY

## Supports Most Office Environments

- The MX-2310U works as a network printer with the latest and most commonly used operating systems and network protocols, including IPv6, and even in mixed OS environments. You get fast, powerful network printing via the 1000Base-T Gigabit Ethernet standard.
- The MX-2310U supports the PCL6 printer language.\* For compatibility with PostScript 3, the MX-PK11 PS3 Expansion Kit is available.
- \* Requires optional MX-PB14.

# Etherne (10Base-T/100Base-TX/1000Base-T Windows®

## SUPERB PRINT QUALITY

#### Improved Imaging System

Sharp thoroughly revamped its imaging process for the MX-2310U; now a high-performance processor, a new developer, and the second-generation Mycrostoner-HG (High Grade) combine to provide breathtaking image quality. The new toner expands the colour reproducibility range for a more natural rendering of clear blue skies, emerald green oceans, and other colour images. And the smaller particle size of the toner and the developer allows for reduced graininess and clear reproduction of fine lines, fine text, and halftone colours.





#### Crisp, Clear Text and Images

Employing digital smoothing technology enhances the print resolution to the equivalent of 9,600 x 600 dpi for incredibly smooth reproduction of fine lines. Fine-grained photographs, detailed illustrations and graphs, and small text come out crisp and

#### VERSATILE

#### ■ USB Memory Direct Print\*

One of the two USB ports on the MX-2310U is located at the front of the MFP beneath the control panel. It comes in handy when

printing data directly from USB memory devices—an indispensable function for users who are in a hurry or who want quick machine access without a PC.

\* Requires optional MX-PB14.

#### Versatile Paper Handling

The MX-2310U accommodates a wide range of paper sizes, from A5R to A3 wide. When using an optional finisher or exit tray, you can do A3 full-bleed printing onto A3 wide paper, without loss of image area. And the MX-2310U can handle heavy paper stock up to 256 g/m<sup>2</sup>, overhead transparencies, and other types of paper, further expanding the range of printing applications.

#### Image Editing Functions


The MX-2310U includes colourful editing functions made possible by digital technology.


- Multi-Page Enlargement divides an image onto separate sheets for making posters up to A0 x 2 in size.
- Photo Repeat places multiple copies of an image onto a single
- . Mirror Image makes a reverse image of the original.
- XY Zoom adjusts the horizontal and vertical ratios independently.
- B/W Reverse reverses the black and white of an image. Please see specifications for a list of available convenient functions.

#### ■ High-Quality Page Description Language

To ensure high-quality image processing, the MX-2310U uses Sharp's original SAPL-c (Sharp Advanced Printing Language-c), a new page description language (PDL) that delivers superb performance and print quality. The MX-2310U is also compatible with PCL6 and PS3 (option).

#### Easy, High-Quality Copying





#### Various Copy/Print Applications

#### Copy & Print

- Watermark prints a user-selected watermark, such as "Urgent," on each page to indicate the status of the document
- Tab Copy / Tab Print\* can copy or print directly onto tabs on document separators and insert them into assigned positions. \* Tab print requires optional MX-PB14.
- Multi-Shot copying and N-up printing
- Pamphlet Style copying/printing
- Cover/transparency insertion

- Direct Print\*1 allows PDF\*2, TIFF, JPEG, or XPS\*3 files to be printed without using the printer driver or opening applications
- Carbon Copy Print mode automatically outputs multiple printouts of the same data on plain and/or coloured paper; convenient for invoices and purchase orders.
- Form Overlay can store office document formatting such as letterheads and overlay contents in colour, eliminating the need for pre-printed paper.

Note: The above functions require optional MX-PB14.

\*1: Direct printing may not support all PDF, TIFF, JPEG, and XPS formats. \*2: Direct PDF printing requires optional MX-PK11. \*3: Direct XPS printing requires optional MX-PUX1 and 1GB memory board.

- Book Copy is convenient for compiling copies of a book or bound originals into pamphlet format.
- Card Shot enables one-touch copying of both sides of a card (credit cards, ID cards, etc.) onto a single page.
- Colour Stamp labels your copies with page numbers, the date or text such as "Urgent" in up to four different colours.
- Mixed Size Original Copy mode automatically distinguishes documents of mixed sizes\* (such as A3/B4, B4/A4, etc.) fed through the RSPF and chooses the appropriate paper.
- \* Some restrictions apply when combining paper sizes of different format series.



# **IMAGE SENDING**

#### A3 Colour Network Scanning


The MX-2310U works as a full-colour network scanner. Converting any type of paper-based document, up to A3 in size, into an editable digital file is as easy as making a copy. The MX-2310U supports TIFF, PDF, encrypted PDF, XPS, and JPEG file formats. Enhanced scan performance improves the legibility of extremely fine text and allows vivid colour reproduction in scanned documents. And Auto Colour **Selection** chooses the right mode for scanning originals containing both colour and B/W pages (see page 4).

#### Quick Scanning

For both colour\*1 and B/W documents, the MX-2310U carries out scanning at the impressive speed of 50 opm\*2 (originals per minute) and can complete large scan jobs with ease and efficiency. \*1: Faxing is available in B/W only. \*2: Single-side scanning

#### Multiple Distribution of Scanned Files

With the touch of a few buttons, you can choose different ways to distribute your scanned documents. Scan to E-mail sends documents as an e-mail attachment. Scan to FTP Server scans documents directly to an FTP server for storage. Scan to Desktop sends scanned documents directly to your PC desktop. Scan to Network Folder (SMB) sends files to a shared folder on a networked Windows PC. Scan to USB Memory scans documents directly to USB memory devices. And Scan to Fax enables conventional faxing.



#### LDAP Support

Built-in LDAP (lightweight directory access protocol) support eliminates the need to enter or register full addresses. By entering

the first few letters of the recipient's name, the MX-2310U displays a list of possible matches from your company's LDAP server. Selected addresses can be stored to the MX-2310U's address book.



#### High-Speed Faxing

The optional MX-FX11 Fax Expansion Kit turns the MX-2310U into a 33.6 Kbps Super G3 fax. Using JBIG compression technology, the MX-2310U can send an A4 size page in under 3 seconds\*. Use the 100-sheet RSPF to further boost faxing efficiency. And, because Quick On-Line Transmission can start dialling and transmitting as soon as the first page is scanned into memory, you can send documents in much less time.

\* Based on Sharp's standard chart with approximately 700 characters (A4 or

#### Automated Fax Finishing

The MX-2310U eliminates the need to copy and staple received faxes by hand. Simply use the Fax Output setting on the LCD control panel to designate the number of copies. With finishing options installed, the

MX-2310U will even automatically staple these documents for you





FAX

#### PC-Fax

Directly send a document created on your PC to a recipient's fax machine via a phone line without printing to paper. Save time and paper costs while retaining original document quality. Note: PC-Fax requires MX-FX11.

## Paperless Faxing with Inbound Routing

Paperless faxing with inbound routing lets you check incoming faxes via e-mail before printing. It can also forward incoming faxes to an FTP server, a network folder (SMB), or a PC desktop. Files can be saved in either PDF or TIFF (single/multi).

#### Skip Blank Page Function

When scanning and sending a multi-page document, the MX-2310U automatically recognises and skips over any pages without content, reducing both data size and transmission time.

#### Other Key Features

#### Scan & Fax

- One-touch auto dial keys register up to 1,000 numbers for frequently used destinations
- Broadcast transmission to up to 500 destinations
- Programme keys (up to 48 keys) are available to set up frequently used transmissions for instant recall
- Easy text entry\* lets you enter addresses, file names, subject titles or messages from the LCD control panel \* Only addresses can be entered for faxing.
- Mixed size original scanning automatically distinguishes documents of mixed sizes fed through the RSPF

#### Fax

- Duplex transmission/reception sends and prints out two-sided documents
- SD memory card backup ensures documents remain safely backed up in memory, even in the event of a power failure
- Rotation transmission/reception rotates incoming and outgoing faxes to match the direction of the printing paper
- Fax destination confirmation allows users to reconfirm fax numbers before sending to prevent transmission errors


#### Industry-Leading Multi-Layered Security

With multiple levels of network and data security to cover a wide range of security needs, Sharp's industry-leading security solutions protect your business assets and bring peace of mind. The MX-2310U safeguards sensitive data with powerful, enhanced security functions that eliminate the worry of unauthorised use and guarantee greater protection for your confidential information.

#### Data Security Kit

Digital copier/printers or MFPs can retain hundreds of pages of confidential information from previous jobs on their hard disks or internal memory. To safeguard this information from unauthorised

access, the optional **Data Security Kit** automatically encrypts and erases the data after each job is complete as well as data stored both on the hard disk and in the address book.



#### Secure Network Access

The MX-2310U's IP/MAC address filtering function provides highly secure operation by restricting access to the MX-2310U on your office network. Only PCs that have either their IP address or

> MAC (media access control) address registered are allowed to use the MX-2310U. Attempted access from an unknown IP or MAC address will be denied, preventing unauthorised use. The MX-2310U also supports the IEEE 802.1X standard for port-based network access control, which blocks all access from unauthorised devices.

## Encrypted PDF with Password Protection

To prevent unauthorised viewing of confidential image data, the MX-2310U enables users to password protect and encrypt PDF data. By setting a password when scanning, users can transmit a PDF over the network in encrypted format. Then, after transmission, viewers will only gain access to the encrypted PDF after successfully re-entering the chosen password.

#### Document Control Function

Document Control prevents unauthorised copying, scanning, faxing, and filing of confidential documents. This is how it works: the MX-2310U embeds copy prevention data onto a document when it is first copied or printed. It will then detect this data the next time someone tries to make a copy of the document. Any unauthorised attempts to copy a Document Controlled-document will simply be cancelled or result in the output of a blank page. Note: Requires optional Data Security Kit. May not work for certain types of documents or paper.



#### Data Initialisation

The MX-2310U's initialisation function allows confidential information to be erased at the administrator's discretion via the MFP's system setting. Initialising an MFP when it's taken out of service prevents important resources, such as customer information and intellectual property, from leaking out and provides considerable peace of mind.

#### Secure Sockets Layer

SSL (secure sockets layer) enables the encryption of data communications to prevent data leakage through the network when printing via IPP, browsing secure Web pages (HTTPS), or communicating via e-mail (SMTP and POP3) or FTP (FTPS).

#### User Authentication

The MX-2310U prevents unauthorised use by requiring passwords for machine access. This safeguarded solution can register up to 1,000 users in three access levels as Administrator, User, or Guest and can designate to which function user authentication applies. The MX-2310U can, for example, be set to allow B/W copying by all users while restricting colour copying to designated users. And the

MX-2310U works with an external Active Directory server to extend user authentication to multiple MFPs and a greater number of users.

#### User authentication

## IPv6 and IPsec Support

The MX-2310U supports the IPv6 Internet protocol. An obligatory part of IPv6 is IPsec (IP Security), a set of protocols for securing Internet protocol (IP) communications. IPsec encrypts and authenticates traffic between specified parties, giving IPsec-compatible products an extremely high level of network

#### Scan to Me Function

Scan to Me lets a logged-in authorised user send scanned data to his/her own e-mail address simply by pressing the start button. This eliminates the need to manually enter or select the address, thereby preventing documents from being sent to the wrong address.

long-edge feeding) at standard resolution.




# DOCUMENT MANAGEMENT

#### Document Management on the Hard Disk

You can save processed job data in designated folders on the MX-2310U's built-in hard disk, making it easy to instantly recall saved documents or jobs for printing and sending at a later time. This contributes greatly to efficient sharing and distribution of information in your business operations.

#### Easy Access to Stored Files

Documents stored on the hard disk can be quickly and easily searched and accessed from the control panel's LCD via thumbnail displays and file previews or through a Web browser.



#### Quick Filing


Up to **10,000** pages or 3,000 files\*1 that have been copied, printed, scanned, or faxed\*2 can be stored by job on the hard disk in a Quick File Folder. You can easily reuse saved data without having to reload or rescan the original.




#### Advanced Filing Function

Up to **20,000 pages** or 3,000 files\*1 that have been copied, printed, scanned, or faxed\*2 can be stored by job on the hard disk in up to 1,000 folders with customised names and locations. Enhanced security features require users to enter a 5- to 8-digit password to access secure folders, protecting your sensitive data. Storage options include:

 Main Folder – You can store processed files by user name in the main public folder and share them across the workgroup. Any file name and a PIN code can be assigned to each saved job.



 Custom Folder - Up to 1,000 private folders (named as desired) can be created within the Custom Folder. When saving a file in a private folder, any file name can be assigned. A PIN code can be applied to both private folders and files.




- \*1: Measured using Sharp's standard chart (A4 with 6% coverage, BW). The Quick File Folder shares the HDD with the Job Build function; up to 14GB of data storage is available when using both functions. The storage capacity will be less for colour pages.
- \*2: For fax jobs, only transmitted data (not received faxes) can be saved in the Document Filing function.

#### Sharpdesk for Total Document Management

Sharpdesk is an original Sharp application that provides integrated desktop management of documents in over **200 file formats**, including scanned paper-based documents and those created with popular applications such as Word. It allows you to organise, edit, search, and distribute your documents, all with simple drag-and-drop operation.

- Intuitive desktop display features thumbnail viewing
- Sharpdesk Imaging provides **annotation** tools for paper-free proofreading
- Sharpdesk Composer combines different types of files into a single document
- Optical character recognition converts documents into editable text files
- Output zone distributes files to e-mail, printers, and other applications
- File search allows searching by file name, keyword, or thumbnail



#### \* Image Compression Tool for converting images into compact PDF files

# **DEVICE MANAGEMENT**

#### Integrated Device Management

The MX-2310U allows for easy programming of complex settings and makes it possible for a system administrator to manage multiple devices from a single location. The result is minimum time and effort and maximum work efficiency.

#### Web-Based System Settings

Administrators can configure system settings such as address book control, document filing management, and user control (accounting) from either over the network or from the control panel of the MX-2310U.



Web-based device management

#### User Control

The MX-2310U has capabilities to **restrict machine access and usage**. Easily manage overall running costs by setting access rules through a Web browser to limit or restrict functions, such as the printing out or copying of large-volume colour documents.

- Authority Groups Use of each function can be restricted individually.
- User control and account Up to 1,000 password-protected user accounts can be created for customised access. Accounts can be set up for individuals, groups or departments, in conjunction with the authority group setting. Maximum limits for printing or copying pages can be set for each account.

#### Remote Diagnosis

The MX-2310U can be monitored remotely through a Web browser. In the event of a problem, such as a low amount of toner, an alert is displayed on the Web page. And, the E-Mail Status and Alert function generates e-mail messages to notify the administrator when action or maintenance is required.



#### Network Utility Software

- Sharp Remote Device Manager (SRDM) makes printer networks easier to manage by allowing administrators to customise monitored items and view settings such as the IP address directly from their PC through a standard Web browser.
- If the MX-2310U is low on paper or toner, the Printer Status Monitor will alert you in the form of easy-to-understand graphics, allowing you to avoid problems before they arise.



Web-based SRDM




Printer Status Monitor

#### Device Cloning

Machine settings can be copied conveniently to another MX-2310U via a Web browser in XML format, making it easy to clone machines in a networked environment. With Device Cloning, the administrator no longer needs to set up individual machines one by one, thereby making his/her job a lot easier.

#### Web-based device cloning



## Remote Operation

With the MX-2310U's Remote Operation function, the same control panel screen found on the MFP can be displayed on the screen of a remote, office-networked PC, allowing the MFP to be operated via that PC.\* This function can, for example, enable the administrator to guide an MFP user in need of help through necessary procedures. It also allows users, such as the physically challenged, who might have difficulty accessing the MFP control panel, to operate the MFP remotely, via the PC.

\* Requires VNC application.



7



# **ENVIRONMENT- & USER-FRIENDLY**


#### ENVIRONMENTALLY ADVANCED

#### Eco-Friendly Supplies

Integrating Sharp's environmentally advanced supplies, the MX-2310U takes ecological performance to a whole new level. Second-generation Mycrostoner-HG offers a significantly lower consumption rate than conventional toner, while the longer-life photoconductor delivers higher performance than previous models.

#### Environmentally Conscious Design

- A short warm-up time of less than 20 seconds contributes to reduced overall energy consumption.
- With a standby power consumption of less than 1W in fax reception mode, the MX-2310U leads the industry in energy savings for colour MFPs.
- · Based on prior usage patterns, the MX-2310U automatically determines the optimal length of time to let elapse before going into auto power shut-off mode, helping reduce overall power consumption.
- Conforming to the ENERGY STAR® programme, an international system identifying energy-efficient products, the MX-2310U has two levels of energy-saving modes to reduce or shut off electricity after a period of inactivity. And pressing the **power save key** after a job is finished immediately puts the MX-2310U into auto power shut-off mode for further cutbacks on running costs.





• In support of the RoHS directive, which restricts the use of hazardous substances, Sharp has fully eliminated harmful lead and chromium in all MX-2310U parts and materials.

## EASY OPERATION

#### 7.0-Inch Touch-Screen LCD

The MX-2310U features a logically designed control panel with a wide, clear, WVGA-resolution touch-screen LCD. Easy-to-follow guidance puts step-by-step instructions on the LCD to guide you through all the necessary procedures for staple/sort finishing, pamphlet making, and other functions. Pushing the Home button, even in the middle of an operation, takes you back to the Start screen. Programming the most frequently used functions and settings into My Menu gives you quick and easy access to them. And using the included stylus pen provides controlled, accurate touch-screen operation.

#### Sharp OSA (Open Systems Architecture)

The MX-2310U supports the Sharp OSA\* development platform. This innovative technology allows users to interact with critical business and



network applications and/or external account software right from the LCD control panel, offering a new realm of control and convenience. And since Sharp OSA utilises industry-standard network protocols, such as XML and SOAP, the MX-2310U can easily integrate with document management systems, enterprise resource planning software, workflow applications, and more. \* Requires optional MX-AMX2 and/or MX-AMX3.

## Easy-Grip Handles

Easy-grip handles on the MX-2310U reflect a universal design that allows the paper drawers to be grasped from the top as well as the bottom for easy opening and closing.



#### Thumbnail Display and Previews

Making the search for files easier and more convenient than ever, thumbnails and up-close previews of Document Filing data files, as well as conventional file names, can be displayed on the MX-2310U's LCD control panel. And to help users decide which documents to print out or forward to others, the LCD can also display thumbnails and previews of incoming faxes and Internet faxes. The MX-2310U even prevents errors in copying, scanning, or saving documents to its hard disk by showing previews of those jobs on the LCD before actually executing them, making it easy to confirm finishing options, scan settings, and other such items.






#### Job Status Screen

Whether printing or copying, the control panel displays a list of all jobs, showing you at a glance the jobs in progress and the position of your job in the queue. And, with a few quick touches of the LCD screen, the **Priority Printing** function lets you easily **change** the job queue order or delete jobs



# **OPTIONS**

#### System Configuration



#### Specifications for Options

MX-FN17 Finis	her		
Paper size	Non offset	A3W to A5R	
	Offset/staple	A3 to B5	
Paper capacity (max.)		250 sheets (A3),	
		500 sheets (A4)	

50 sheets (A4 or smaller), 30 sheets (B4 or larger) Stapling capacity 3 locations (front, rear or both) Staple position

#### **Punch Modules**

Model name	For the MX-FN17	MX-PN11A	MX-PN11B	MX-PN11C	MX-PN11D
Number of holes		2	3	4	4 (wide)
Paper weight		55 to 256 g/m <sup>2</sup> *			

<sup>\*</sup> Guaranteed punchable weight is 55 to 128 g/m<sup>2</sup>

#### MX-DE12 Stand with 500-Sheet Paper Drawer

Paper size	A3 to A5R	
Paper capacity	500 sheets (80 g/m²)	

#### MX-DE14 Stand with 3 x 500-Sheet Paper Drawers

Paper size (upper and lower tray)	A3 to A5R
Paper capacity (upper and lower tray)	500 sheets each (80 g/m²)

#### MX-FX11 Fax Expansion Kit

Compression method	MH/MR/MMR/JBIG	
Communication protocol	Super G3/G3	
Modem speed	33,600 bps to 2,400 bps	

#### Sharpdesk 3.3 System Requirements

Supported OS	Windows® XP (SP2) Professional/Home Edition, Windows Vista®, Windows 7
Hard disk	Minimum requirement of operating system used plus at least 500MB to store Sharpdesk and Network Scanner Tool programmes
CPU	Pentium® or equivalent processor (Windows XP: 800 MHz 32-bit/64-bit processor; Windows Vista and Windows 7: 1 GHz 32-bit/64-bit processor)
Memory	Windows XP: 512MB RAM; Windows Vista and Windows 7: 1GB RAM/2GB RAM (Windows 7 64-bit)
Monitor	Windows XP: SVGA display; Windows Vista and Windows 7: Direct X9 support with 128MB video RAM