

SPECIFICATIONS

General

Type	Desktop
Engine speed (colour & B/W)	Max. 41/50 cpm/ppm (A4, 8 1/2" x 11", long-edge feeding)
Paper size	Max. A3 wide (12" x 18"), min. A5R (5 1/2" x 8 1/2R") Note: Optional finisher or exit tray required for output of A3-wide (12" x 18") documents
Paper capacity (80 g/m ²)	2,100 sheets (four 500-sheet trays and 100-sheet multi-bypass tray with MX-DEX9)
Paper weight	Maximum: 5,600 sheets Tray: 60 g/m ² to 209 g/m ² (16 to 110 lbs) Large-capacity tray: 60 g/m ² to 105 g/m ² (16 to 28 lbs) Multi-bypass tray: 55 g/m ² to 256 g/m ² (13 to 140 lbs)
Warm-up time*1	Less than 120/140 sec.
Memory	Copier memory: Standard 512MB Printer memory: Standard 1,024MB 80GB HDD*2
Power requirements	Rated local AC voltage $\pm 10\%$, 50/60 Hz
Power consumption (max.)	1.84 kW (220 to 240V)
Dimensions (W x D x H)	MX-4101N/5001N: 645 x 695 x 960 mm (25 ²⁵ / ₆₄ " x 27 ³ / ₈ " x 37 ⁵ / ₁₆ ")
Weight	MX-4101N/5001N: Approx. 123 kg (271 lbs)
Features	Card shot, edge/centre erase, job build, document filing, user authentication (1,000 accounts), toner save mode, pre-heat/auto power shut-off modes

Copier

Original paper size	Max. A3 (11" x 17")
First copy time*3	Full colour: 6.7/5.9 sec. B/W: 4.7/4.1 sec.
Continuous copy	Max. 999 copies
Resolution	Scan (colour): 600 x 600 dpi Scan (B/W): 600 x 600 dpi, 600 x 400 dpi, 600 x 300 dpi Copy: 600 x 600 dpi
Gradation	Equivalent to 256 levels
Zoom range	25 to 400% (25 to 200% using DSPF) in 1% increments
Preset copy ratios	Metric: 10 ratios (5R/5E), inch: 8 ratios (4R/4E)
Features*4	Auto paper selection (mixed/random size feeding), auto magnification selection, paper type selection, auto tray switching, rotation copy, electronic sorting, network tandem copy, book copy, margin shift, dual page copy, multi-shot (4-in-1, 2-in-1), cover/transparency/tab page insertion, pamphlet copy, 2-sided copy orientation change, XY zoom, B/W reverse, mirror image, duplex copy, reserved copy, job programme, image repeat, irregular original/paper size input, stamps (date, page number, text, stamp), multi-page enlargement, tab copy, centering, proof copy, 3G Sharp auto colour mode, auto colour selection, auto calibration, watermarks

Network Scanner

Scan method	Push scan (via control panel), pull scan (TWAIN-compliant application)
Resolution	Push scan: 100, 200, 300, 400, 600 dpi Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi 50 to 9,600 dpi via user setting
File formats	TIFF, PDF, encrypted PDF, JPEG (colour only), XPS*5, high-compression PDF*6
Scanner utility	Sharpdesk
Scan destinations	Scan to e-mail, desktop, FTP server, network folder (SMB), USB memory, 3G Sharp auto colour mode, mixed size original scanning, LDAP support, direct entry (address, subject, message), 999 one-touch dials, 500 group dials, 48 job programmes, broadcasting, long original scanning (max. 1,000 mm)*7, auto colour selection
Features	

- *1: At rated voltage, 23°C (73.4°F). May vary depending on operating conditions.
 *2: HDD capacity depends on procurement and sourcing status.
 *3: Long-edge feeding of A4 (8 1/2" x 11") sheets from 1st paper tray, using document glass, without Auto Colour Selection and Auto Colour mode, polygon motor running. May take longer when taking a copy for the first time immediately after turning the machine on.
 *4: Some features require option(s).
 *5: To view XPS files on PCs not running Windows Vista, you must have the XPS Viewer application installed.
 *6: Optional MX-EBX3 required.
 *7: B/W documents only, scanned at under 400-dpi resolution. Max. 800 mm when scanning at 600 x 600-dpi resolution.
 *8: Measured using Sharp's standard chart (A4 with 6% coverage, B/W). The Quick File Folder shares the HDD with the Job Build function; up to 12GB of data storage is available when using both functions. The storage capacity will be less for colour pages.
 *9: Optional MX-PKX1 required for Mac OS and EtherTalk.
 *10: PS requires optional MX-PKX1. XPS requires optional MX-PUX1 and 1GB Memory Board.
 *11: Some features are not available according to the printer driver used.
 *12: Based on Sharp's standard chart with approx. 700 characters (A4 or 8 1/2" x 11" long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

- Design and specifications are subject to change without prior notice.
 • Windows, Windows NT, Windows Server, and Windows Vista are registered trademarks of Microsoft Corporation in the United States and/or other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners.
 • The Energy Star logo is a certification mark and may only be used to certify products that have been determined to meet the Energy Star programme requirements. Energy Star is a US registered mark. The Energy Star guidelines apply to products only in the US, Europe, Australia, New Zealand, and Japan.

Document Filing


Document filing capacity	Main and custom folders: 38GB, 5,500 pages*8 or 3,000 files Quick file folder: 12GB, 1,700 pages*8 or 1,000 files
Stored jobs*4	Copy, print, scan, fax transmission
Storage folders	Quick file folder, main folder, custom folder (max. 1,000 folders)
Confidential storage	Password protection

Network Printer

Resolution	1,200 x 1,200 dpi, 600 x 600 dpi
Interface	USB 2.0 10Base-T/100Base-TX/1000Base-T
Supported OS*9	Windows NT® 4.0 SP5 or later, Windows Server® 2003/2008, Windows® 98/Me/2000/XP, Windows Vista® Mac OS 9.0 to 9.2.2, Mac OS X 10.2.8, 10.3.9, 10.4 to 10.4.11, 10.5 to 10.5.1
Network protocols*9	TCP/IP (IPv4, IPv6), IPX/SPX (NetWare), NetBEUI, EtherTalk (AppleTalk)
Printing protocols	LPR, Raw TCP (port 9100), POP3 (e-mail printing), HTTP, Novell Printserver application with NDS and Bindery, FTP for downloading print files, EtherTalk printing, IPP
PDL (emulation)	Standard: PCL 6/5c emulation Option*10: PS3 emulation, XPS
Available fonts	80 fonts for PCL, 136 fonts for PS3 emulation
Features*4 *11	Network tandem print, RIP Once/Print Many, job retention (print hold, proof print, confidential print), direct PDF/TIFF/JPEG/XPS printing, carbon copy print, duplex print, font/form download, offset output, printer administration utility and status monitor, pamphlet style, IP/MAC address filtering, port/protocol management, binding edge, N-up (2/4/6/8/9/16), paper/output tray selection, cover insertion, transparency interleave, fit to page, watermarks, form overlay, auto configuration, tab print, poster print, secure network communications (SSL and IPsec [LPD])

B/W Facsimile (optional MX-FXX2 required)

Compression method	MH/MR/MMR/JBIG
Communication protocol	Super G3/G3
Transmission time	Less than 3 seconds*12
Modem speed	33,600 bps to 2,400 bps with automatic fallback
Transmission resolution	From Standard (203.2 x 97.8 dpi) to Super Fine (406.4 x 391 dpi)
Recording width	A3 to A5 (11" x 17" to 5 1/2" x 8 1/2")
Memory	8MB flash memory
Grey scale levels	Equivalent to 256 levels
Features	Duplex transmission/reception, quick on-line transmission, error correction mode, 999 one-touch dials, 500 group dials, LDAP support, 48 job programmes, broadcasting number registration, F-Code compatibility (confidential, relay broadcast), polling, memory transmission/reception, auto reduction (transmission/reception), rotation transmission/reception, print actual size, 2-in-1 transmission, long original transmission (max. 1,000 mm), PC-Fax transmission, timer transmission, activity report, anti-junk fax, dual page scan, mixed size original scanning, inbound routing to e-mail/FTP server/network folder (SMB)/PC desktop/group



* 645 mm with tray extended.

Shown with options.

SHARP

MX-4101N
MX-5001N

Digital Full Colour Multifunctional System

Put Speed, High-Quality Colour, and
Ease of Use at the Centre of Your Office Needs

SHARP

SHARP-ROXY (HONG KONG) LIMITED
Hotline: 2822 9395 <http://www.sharp.com.hk>

COPY

NETWORK PRINT

NETWORK SCAN

SHARPEX

FAX
OPTION

With Speed and Quality at the Hub, Efficiency Follows

And what an impressive hub it is, with its compact frame, polished new design, and original, cutting-edge technologies! Sharp's MX-4101N/5001N full-colour MFP puts speedy output, outstanding print quality, and reliable data protection squarely in the centre of efficient document management.

The MX-4101N/5001N's short warm-up time, copy/print speeds of up to 41/50 pages per minute in both colour and B/W, brilliant colour, and 1,200-dpi printing resolution bring a productivity-boosting edge to busy offices. Its integrated document management system enhances workflow, and Sharp OSA (Open Systems Architecture) 3.0 makes it possible for third-party software developers to create customised applications for office-specific control and convenience.

And for peace of mind, the MX-4101N/5001N puts Sharp's powerful, industry-leading security solutions to work in a multi-layered approach that safeguards confidential data against leakage and unauthorised access.

New Design Brings Style and Ease of Use

A new dark-coloured control panel gives the MX-4101N/5001N a distinct design advantage and brings polished chic to office settings. But this stylish new design does more than just enhance décor; it also makes the MX-4101N/5001N a particularly user-friendly solution. The new 8.5-inch, W-VGA, touch-screen LCD control panel gives users a choice of six screen colours and provides thumbnail display and previews of data files as well as previews of copy/send/save jobs, making even the MX-4101N/5001N's most advanced functions easy to navigate.



COPYING & NETWORK PRINTING

PRODUCTIVE

Super-Efficient Colour and B/W Output

The tandem printing engine with four in-line drums helps the MX-4101N/5001N deliver a fast output of **41/50 cpm/ppm*** in full colour and in B/W. And the first copy comes out in just **6.7/5.9 seconds** in full colour and **4.7/4.1 seconds** in B/W. What's more, its short, straight paper path minimises misfeeds to save you paper and toner costs.

* A4 (8 1/2" x 11"), long-edge feeding



Productive Collated Output from Memory

The MX-4101N/5001N's Scan Once/Print Many function only requires a single scan of a multi-page original for copying, and the RIP Once/Print Many function only needs to download print data once from the PC for printing. The machine then automatically saves the data into memory and outputs **collated** sets of copies or printouts in the proper page order (electronic sorting), with each set **offset stacked** for easier retrieval.



Automatic Document Feeding

The MX-4101N/5001N comes standard with a highly efficient **150-sheet DSPF** (duplex single pass feeder), which **scans both pages** of two-sided documents **up to A3** (11" x 17") in size in one pass. Doing away with the reversing circuit minimises paper misfeeds and vastly improves reliability.

Built-in Stackless Duplex Module

The MX-4101N/5001N can make **two-sided copies and printouts** using its built-in stackless duplex module, effectively reducing paper costs as well as saving filing space. Duplex copying is even more effective when used together with the DSPF.

Network Tandem Function

When two MX-4101N/5001Ns are connected to the same office network, you can use both simultaneously to double copying/printing output to up to **82/100 cpm/ppm**. Large-volume jobs can be completed with ease, enabling you to meet tight deadlines.

NETWORK-READY


Supports Most Office Environments

- The MX-4101N/5001N works as a network printer with the latest and most commonly used operating systems and network protocols, including **IPv6**, and even in mixed OS environments. With a 64-bit, 1 GHz CPU, you get fast, powerful network printing via the 1000Base-T **Gigabit Ethernet** standard.
- The MX-4101N/5001N supports **PCL5c** and **PCL6** printer languages. For compatibility with **PostScript 3**, the MX-PKX1 PS3 Expansion Kit is available.

Polished Finishing

The MX-4101N/5001N makes it easy to create professional-looking booklets. The **chapter divide** function lets you print out all chapters starting on either odd- or even-numbered pages to give documents a consistent, polished look. The newly designed **Saddle Stitch Finisher** option staples documents up to 50 pages long and can fold and staple sets of documents up to 15 pages long to make completed booklets. It also features a new **bi-folding** function that folds individual pages, up to size A3, in half—eliminating the tedious task of folding pages by hand. A space-efficient **Finisher** is also available for jobs that require only simple sorting and stapling, while another option, a **4,000-sheet Finisher**, speeds through large projects to give you complete control over deadlines. And, an optional **Punch Module** allows you to punch holes in documents for easy filing.

A Variety of Job Finishing Options



Large Paper Capacity


For high-volume work, the MX-4101N/5001N can accommodate an optional 3,500-sheet large-capacity tray and stand with 2 x 500-sheet paper drawers for a total capacity of **5,600 sheets**. The **Auto Tray Switching** function automatically switches to another paper tray filled with the same size paper, allowing you to do extra-large volume jobs.

Job Build for Large-Volume Scanning

The MX-4101N/5001N easily handles large-volume copy jobs exceeding the DSPF's 150-sheet*1 capacity. For example, a 270-sheet original can be scanned as batches of 150 + 120 sheets and automatically stored on the MX-4101N/5001N's hard disk*2. Users can then print the entire document in a single run.

*1: A4 (8 1/2" x 11"), 80 g/m²

*2: The number of pages that can be stored for the Job Build function depends on the machine's HDD capacity and other conditions.



SUPERB PRINT QUALITY


Improved Imaging System

Sharp thoroughly revamped its imaging process for the MX-4101N/5001N; now a high-performance processor, a new developer, and the new **Mycrostoner-HG** (High Grade) combine to provide breathtaking image quality. The smaller particle size of Mycrostoner-HG and the developer allows for reduced graininess and clear reproduction of fine lines and halftone colours.



True 1,200 x 1,200-dpi Printing

The MX-4101N/5001N's print engine provides razor-sharp 1,200-dpi printing—without sacrificing output speed—for ultra-clear image quality. Fine lines and small text come out crisper and easier to read.



VERSATILE

USB Memory Direct Print

One of the two USB ports on the MX-4101N/5001N is located at the front of the MFP beneath the control panel. It comes in handy when printing data directly from USB memory devices—an indispensable function for users who are in a hurry or who want quick machine access without a PC.



Versatile Paper Handling

The MX-4101N/5001N accommodates a wide range of paper sizes, from A5R (5 1/2" x 8 1/2") to A3 wide (12" x 18"). When using an optional finisher or exit tray, you can do A3 (11" x 17") **full-bleed printing** onto **A3-wide (12" x 18")** paper, without loss of image area. And thanks to its tandem printing method, the MX-4101N/5001N can handle heavy paper stock up to **256 g/m²**, overhead transparencies, and other types of paper, further expanding the range of printing applications.


Image Editing Functions

The MX-4101N/5001N includes colourful editing functions made possible by digital technology.

- Multi-Page Enlargement** divides an image onto separate sheets for making posters up to A0 x 2 (44" x 68") in size.
 - Image Repeat** places multiple copies of an image onto a single sheet.
 - Mirror Image** makes a reverse image of the original.
 - XY Zoom** adjusts the horizontal and vertical ratios independently.
 - B/W Reverse** reverses the black and white of an image.
- Please see specifications for a list of available convenient functions.

Easy, High-Quality Copying

Because the MX-4101N/5001N features **third-generation Sharp Auto Colour Mode**, anyone—with just a push of the start button—can easily and automatically make copies that are faithful to the original. Here's how it works. **Auto Colour Selection** automatically determines whether a page is colour or B/W and selects the appropriate copy mode for that page. **Auto Colour Mode** analyses the contents of each page, distinguishing between different components, such as photos and text. This is what allows the MX-4101N/5001N to print out maps with crisp, clear text and to automatically remove the background colour on newspaper and magazine copies for clearer output. When copying in B/W, multi-level error diffusion technology provides dramatically smoother gradation in photos and subtle greyscale images.



Various Copy/Print Applications

Copy & Print

- Tab Copy/Print** can copy or print directly onto tabs on document separators and insert them into assigned positions.
- Multi-Shot** copying and **N-up** printing
- Pamphlet Style** copying/printing
- Cover/transparency** insertion

Print

- PDF/TIFF/JPEG/XPS Direct Print** prints PDF, TIFF, JPEG, or XPS files without using the printer driver or opening applications. Note: Direct PDF printing requires optional MX-PKX1, and direct XPS printing requires optional MX-PUX1 and 1GB Memory Board. Direct printing may not support all PDF, TIFF, JPEG, and XPS formats.
- Carbon Copy Print** mode automatically outputs multiple printouts of the same data on plain and/or coloured paper; convenient for invoices and purchase orders.
- Form Overlay** can store office document formatting such as letterheads and overlay contents in colour, eliminating the need for pre-printed paper.

Copy

- Book Copy** is convenient for compiling copies of a book or bound originals into pamphlet format.
 - Card Shot** enables one-touch copying of both sides of a card (credit cards, ID cards, etc.) onto a single page.
 - Colour Stamp** labels your copies with page numbers, the date or text such as "Urgent" in up to four different colours.
 - Mixed Size Original Copy** mode automatically distinguishes documents of mixed sizes* (such as A3/B4, B4/A4, etc.) fed through the DSPF and chooses the appropriate paper.
- * Some restrictions apply when combining paper sizes of different format series.




IMAGE SENDING

SECURITY

A3 Colour Network Scanning

SCAN


The MX-4101N/5001N works as a **full-colour network scanner** that can be used with any Windows PC on the network. Converting any type of paper-based document, up to A3 (11" x 17") in size, into an editable digital file is as easy as making a copy. The MX-4101N/5001N supports TIFF, PDF, encrypted PDF, high-compression PDF*, JPEG, and the new **XPS** (XML Paper Specification) file formats. And **Auto Colour Selection** chooses the right mode for scanning originals containing both colour and B/W pages (see page 4).

* Requires optional MX-EBX3.

Multiple Distribution of Scanned Files

SCAN FAX

With the touch of a few buttons, you can choose different ways to distribute your scanned documents. **Scan to E-mail** sends documents directly to an FTP server for storage. **Scan to Desktop** sends scanned documents directly to your PC desktop. **Scan to Network Folder (SMB)** sends files to a shared folder on a networked Windows PC. **Scan to USB Memory** scans documents directly to USB memory devices. And **Scan to Fax** enables conventional faxing.



LDAP Support

SCAN FAX

Built-in LDAP (lightweight directory access protocol) support eliminates the need to enter or register full addresses. By entering the first few letters of the recipient's name, the MX-4101N/5001N displays a list of possible matches from your company's LDAP server. Selected addresses can be stored to the MX-4101N/5001N's address book.



High-Speed Faxing

FAX

The optional MX-FXX2 Fax Expansion Kit turns the MX-4101N/5001N into a 33.6 Kbps **Super G3 fax**. Using JBIG compression technology, the MX-4101N/5001N can send an A4 (8 1/2" x 11") size page in under 3 seconds*. Use the 150-sheet DSPF to further boost faxing efficiency. And, because **Quick On-Line Transmission** can start dialling and transmitting as soon as the first page is scanned into memory, you can send documents in **much less time**.

* Based on Sharp's standard chart with approximately 700 characters (A4 or 8 1/2" x 11" long-edge feeding) at standard resolution.

Automated Fax Finishing

FAX

The MX-4101N/5001N eliminates the need to copy and staple received faxes by hand. Simply use the Fax Output setting on the LCD control panel to designate the number of copies. With finishing options installed, the MX-4101N/5001N will even automatically staple these documents for you.

Output settings for received faxes



PC-Fax

FAX

Directly send a document created on your PC to a recipient's fax machine via a phone line without printing to paper. Save time and paper costs while retaining original document quality.

Note: PC-Fax requires MX-FXX2.

Paperless Faxing with Inbound Routing

FAX

Paperless faxing with inbound routing lets you check incoming faxes via e-mail before printing. It can also forward incoming faxes to an FTP server, a network folder (SMB), or a PC desktop. Files can be saved in either PDF or TIFF (single/multi).

Skip Blank Page Function

SCAN FAX

When scanning and sending a multi-page document, the MX-4101N/5001N automatically recognises and skips over any pages without content, reducing both data size and transmission time.

Other Key Features

Scan & Fax

- **One-touch auto dial keys** register up to **999** numbers for frequently used destinations
- **Broadcast transmission** to up to 500 destinations
- **Programme keys** (up to 48 keys) are available to set up frequently used transmissions for instant recall
- **Easy text entry*** lets you enter addresses, file names, subject titles or messages from the LCD control panel
- **Mixed size original scanning** automatically distinguishes documents of mixed sizes fed through the DSPF

* Only addresses can be entered for faxing.

Fax

- **Duplex transmission/reception** sends and prints out two-sided documents
- **Flash memory backup** ensures documents remain safely backed up in memory, even in the event of a power failure
- **Rotation transmission/reception** rotates incoming and outgoing faxes to match the direction of the printing paper
- **Fax destination confirmation** allows users to reconfirm fax numbers before sending to prevent transmission errors

Note: Faxing is available in B/W only.


Industry-Leading Multi-Layered Security

With multiple levels of network and data security to cover a wide range of security needs, Sharp's industry-leading security solutions protect your business assets and bring peace of mind. The MX-4101N/5001N safeguards sensitive data with powerful, enhanced security functions that eliminate the worry of unauthorised use and guarantee greater protection for your confidential information.

Data Security Kit


Digital copier/printers or MFPs can retain hundreds of pages of confidential information from previous jobs on their hard disks or internal memory. To safeguard this information from unauthorised access, the optional

Data Security Kit automatically **encrypts and erases** the data after each job is complete as well as data stored both on the hard disk and in the address book.



Encrypted PDF with Password Protection


To prevent unauthorised viewing of confidential image data, the MX-4101N/5001N enables users to password protect and encrypt PDF data. By setting a password when scanning, users can transmit a PDF over the network in encrypted format. Then, after transmission, viewers will only gain access to the encrypted PDF after successfully re-entering the chosen password.



Document Control Function

Document Control prevents unauthorised copying, scanning, faxing, and filing of confidential documents. This is how it works: the MX-4101N/5001N embeds copy prevention data onto a document when it is first copied or printed. It will then detect this data the next time someone tries to make a copy of the document. Any unauthorised attempts to copy a Document Controlled-document will simply be cancelled or result in the output of a blank page.

Note: Requires optional Data Security Kit. May not work for certain types of documents or paper.



Secure Network Access


The MX-4101N/5001N's **IP/MAC address filtering** function provides highly secure operation by restricting access to the MX-4101N/5001N on your office network. Only PCs that have either their IP address or MAC (media access control) address registered are allowed to use the MX-4101N/5001N. Attempted access from an unknown IP or MAC address will be denied, preventing unauthorised use. The MX-4101N/5001N also supports the **IEEE 802.1X** standard for port-based network access control, which blocks all access from unauthorised devices.

Secure Sockets Layer

SSL (secure sockets layer) enables the encryption of data communications to prevent data leakage through the network when printing via IPP, browsing secure Web pages (HTTPS), or communicating via e-mail (SMTP and POP3) or FTP (FTPS).

User Authentication

The MX-4101N/5001N prevents unauthorised use by requiring **passwords** for machine access. This safeguarded solution can register up to 1,000 users in **three access levels** as Administrator, User, or Guest and can designate to which function user authentication applies. The MX-4101N/5001N can, for example, be set to allow B/W copying by all users while restricting colour copying to designated users. And the MX-4101N/5001N works with an **external Active Directory server** to extend user authentication to multiple MFPs and a greater number of users.



User authentication

IPv6 and IPsec Support

The MX-4101N/5001N supports IPv6, the next-generation Internet protocol. An obligatory part of IPv6 is IPsec (IP Security), a set of protocols for securing Internet protocol (IP) communications. IPsec encrypts and authenticates traffic between specified parties, giving IPsec-compatible products an extremely high level of network security.


DOCUMENT MANAGEMENT

Document Management on the Hard Disk

You can save processed job data in designated folders on the MX-4101N/5001N's built-in hard disk, making it easy to instantly recall saved documents or jobs for printing and sending at a later time. This contributes greatly to efficient sharing and distribution of information in your business operations.

Easy Access to Stored Files


Documents that are stored on the hard disk can be quickly searched and accessed from the control panel display or through a Web browser.



Sharpdesk for Total Document Management

Sharpdesk is an original Sharp application that provides integrated desktop management of documents in over **200 file formats**, including scanned paper-based documents and those created with popular applications such as Word. It allows you to organise, edit, search, and distribute your documents, all with simple drag-and-drop operation.

- Intuitive desktop display features **thumbnail** viewing
- Sharpdesk Imaging provides **annotation** tools for paper-free proofreading
- Sharpdesk **Composer** combines different types of files into a single document
- Optical character recognition** converts documents into editable text files
- Output zone** distributes files to e-mail, printers, and other applications
- File search** allows searching by file name, keyword, or thumbnail



* Image Compression Tool for converting images into high-compression PDF files

DEVICE MANAGEMENT

Integrated Device Management

The MX-4101N/5001N allows for easy programming of complex settings and makes it possible for a system administrator to manage multiple devices from a single location. The result is minimum time and effort and maximum work efficiency.

Web-Based System Settings

Administrators can configure system settings such as address book control, document filing management, and user control (accounting) from either over the network or from the control panel of the MX-4101N/5001N.



User Control

The MX-4101N/5001N has capabilities to **restrict machine access and usage**. Easily manage overall running costs by setting access rules through a Web browser to limit or restrict functions, such as the printing out or copying of large-volume colour documents.


- Authority Groups** – Use of each function can be restricted individually.
- User control and account** – Up to 1,000 password-protected user accounts can be created for customised access. Accounts can be set up for individuals, groups or departments, in conjunction with the authority group setting. Maximum limits for printing or copying pages can be set for each account.

Remote Diagnosis

The MX-4101N/5001N can be monitored remotely through a Web browser. In the event of a problem, such as a low amount of toner, an alert is displayed on the Web page. And, the E-Mail Status and Alert function generates e-mail messages to notify the administrator when action or maintenance is required.

Network Utility Software


- Printer Administration Utility** makes printer networks easier to manage by allowing administrators to customise monitored items and view settings such as the IP address directly from their PC through a standard Web browser.
- If the MX-4101N/5001N is low on paper or toner, the **Printer Status Monitor** will alert you in the form of easy-to-understand graphics, allowing you to avoid problems before they arise.



Device Cloning


Machine settings can be copied conveniently to another MX-4101N/5001N via a Web browser in XML format, making it easy to clone machines in a networked environment. With Device Cloning, the administrator no longer needs to set up individual machines one by one, thereby making his/her job a lot easier.

Web-based device cloning



Remote Operation

With the MX-4101N/5001N's new Remote Operation function, the same control panel screen found on the MFP can be displayed on the screen of a remote, office-networked PC, allowing the MFP to be operated via that PC. This function can, for example, enable the administrator to guide an MFP user in need of help through necessary procedures. It also allows users, such as the physically challenged, who might have difficulty accessing the MFP control panel, to operate the MFP remotely, via the PC.



ENVIRONMENT- & USER-FRIENDLY

ENVIRONMENTALLY ADVANCED

Environmentally Conscious Supplies

Integrating Sharp's environmentally advanced supplies, the MX-4101N/5001N takes ecological performance to a whole new level. Mycrotoner-HG offers a significantly **lower consumption rate** than conventional toner, while the **longer-life photoconductor** delivers higher performance than previous models.

Environmentally Conscious Design

- With a standby power consumption of less than **1W** in night-time fax reception mode, the MX-4101N/5001N leads the industry in energy savings for colour MFPS.

- Conforming to the **Energy Star** programme, an international system identifying energy-efficient products, the MX-4101N/5001N has two levels of **energy-saving modes** to reduce or shut off electricity after a period of inactivity. And to further cut back on running costs, by pressing the **manual energy save key** after a job is finished, the MX-4101N/5001N immediately enters pre-heat mode.
- The MX-4101N/5001N conforms to standards set for the Nordic Swan European environmental label.
- In **support of the RoHS directive**, which restricts the use of hazardous substances, Sharp has fully eliminated harmful lead and chromium in all MX-4101N/5001N parts and materials.



EASY OPERATION

8.5-Inch Touch-Screen LCD

The MX-4101N/5001N's logically designed control panel features a wide, clear, W-VGA-resolution touch-screen LCD with easy-to-follow guidance. For example, when adjusting staple/sort finishing or making pamphlets, the LCD displays step-by-step instructions to guide you through the necessary procedures. Pushing the **Home** button, even in the middle of an operation, takes you back to the Start screen. And you can quickly access the most frequently used functions and settings by programming them into **My Menu**.



Home screen



Staple/sort finishing

Thumbnail Display and Previews

Making the search for files easier and more convenient than ever, thumbnails and up-close previews of Document Filing data files, as well as conventional file names, can be displayed on the MX-4101N/5001N's LCD control panel. And to help users decide which documents to print out, the LCD can also display thumbnails and previews of incoming faxes. The MX-4101N/5001N even prevents errors in copying, scanning, or saving documents to its hard disk by showing previews of those jobs on the LCD before actually executing them, making it easy to confirm finishing options, scan settings, and other such items.



Thumbnail



Preview



Saddle stitching (preview)



2-in-1 copying (preview)




Note: The screen shown above is just a sample. Screen layouts and user interfaces can be specifically designed to accommodate customised application programs.



OPTIONS

System Configuration



Certain options may not be available in some areas.

Specifications for Options

MX-FNX9 Finisher

Paper size	Non offset	A3W to A5R (12" x 18" to 5 1/2" x 8 1/2R")
	Offset/staple	A3 to B5 (11" x 17" to 8 1/2" x 11R")
Max. paper capacity (80 g/m ²)		500 sheets (A4 or smaller), 250 sheets (B4 or larger)
Max. stapling capacity (80 g/m ²)		50 sheets (A4 or smaller), 30 sheets (B4 or larger)
Staple position		3 locations (front, rear or both)

MX-FN10 Saddle Stitch Finisher

Paper size	Non offset	A3W to A5R (12" x 18" to 5 1/2" x 8 1/2R")
	Offset/staple	A3 to B5 (11" x 17" to 8 1/2" x 11R")
Max. paper capacity (80 g/m ²)	Offset tray	1,000 sheets (A4 or smaller, except A5R), 500 sheets (A5R, B4 or larger)
	Saddle stitch tray	10 sets of 11-15 sheets, 15 sets of 6-10 sheets, 20 sets of 1-5 sheets
	Stapling capacity	50 sheets (A4 or smaller), 25 sheets (B4 or larger)
Staple position		3 locations (front, rear or both)

MX-FN11 Finisher

Paper size	Non offset	A3 to A5R (11" x 17" to 5 1/2" x 8 1/2R")
	Offset/staple	A3 to B5 (11" x 17" to 8 1/2" x 11R")
Max. paper capacity (80 g/m ²)	Upper tray	1,550 sheets (A4, 8 1/2" x 11")
	Lower tray	2,450 sheets (A4, 8 1/2" x 11")
Max. stapling capacity (80 g/m ²)		50 sheets (A4 or smaller), 30 sheets (A4R, B4 or larger)
Staple position		3 locations (front, rear or both)

Punch Modules

Model name	For the MX-FNX9	MX-PNX1A	MX-PNX1B	MX-PNX1C	MX-PNX1D
	For the MX-FN10	MX-PNX5A	MX-PNX5B	MX-PNX5C	MX-PNX5D
	For the MX-FN11	MX-PNX6A	MX-PNX6B	MX-PNX6C	MX-PNX6D
Number of holes		2	3	4	4 (wide)
Paper weight		55 to 209 g/m ² *1			

*1: Guaranteed punchable weight is 55 to 128 g/m².

MX-DEX9 Stand with 2 x 500-Sheet Paper Drawers

Paper size (upper and lower tray)	A3 to B5R (11" x 17" to 7 1/4" x 10 1/2R")
Paper capacity (upper and lower tray)	500 sheets each (80 g/m ²)

MX-LCX1 Large-Capacity Tray

Paper size	A4, B5 (8 1/2" x 11")
Paper capacity	3,500 sheets (80 g/m ²)

MX-FXX2 Fax Expansion Kit

Compression method	MH/MR/MMR/JBIG
Communication protocol	Super G3/G3
Modem speed	33,600 bps to 2,400 bps

Sharpdesk 3.2 System Requirements

CPU and memory	Depends on operating system used
Hard disk	300MB or more available space (including sample image files and help files)
Monitor	SVGA resolution or better and capable of displaying more than 256 colours (True Color recommended)
Supported OS	Windows® 98 Second Edition, Windows® Me, Windows® 2000 Professional, Windows® XP Professional, Windows® XP Home Edition, Windows Vista®**2
Network protocols	TCP/IP (using Network Scanner Tool)

*2: Windows Vista 64 bit is supported as 32-bit compatible mode. Sharpdesk Composer does not support Windows Vista 64 bit.